

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L2	1	cach\$3 with substantial\$2 same (user adj preference)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/01/18 11:44
L3	7	(cach\$3 with (substantial\$2 or automatic or manual)) same (user adj preference)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/01/18 11:45
S1	548	cach\$3 with directory with level	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/01/07 14:19
S2	31	network same cach\$3 with directory with level	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/01/07 14:20
S3	138	(cach\$3 with level) and (server or host) and (off\$line with (user or client or computer or workstation or terminal))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/01/11 09:52
S4	38	(cach\$3 with level) and (server or host) and (off\$line with (user or client or computer or workstation or terminal)) and (database same (receiv\$3 same (stor\$3 or sav\$3)) same (user or client or computer or workstation or terminal))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/01/10 09:57
S5	4	(cach\$3 with level) and (server or host) and (off\$line with (user or client or computer or workstation or terminal)) and (database same (receiv\$3 same (stor\$3 or sav\$3)) same (user or client or computer or workstation or terminal)) and (connect\$4 with state)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/01/10 10:00
S7	1	(cach\$3 with level) and (server or host) and (user or client or computer or workstation or terminal) and database and (receiv\$3 same (stor\$3 or sav\$3)) and (connect\$4 with state) and (path same (disconnect\$3 or off\$line)) and (group same cach\$3)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/01/10 10:06

S8	35	(cach\$3 with level) and (server or host) and (user or client or computer or workstation or terminal) and database and (receiv\$3 same (stor\$3 or sav\$3)) and (connect\$4 with state) and (path same (disconnect\$3 or off\$line))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/01/10 14:01
S9	66	(cach\$3 with level) and (server or host) and (user or client or computer or workstation or terminal) and (connect\$4 with state) and (path same (disconnect\$3 or off\$line))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/01/14 16:49
S11	5	S9 and (cach\$2 same access\$3 same paramet\$3)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/01/10 14:07
S13	13	("6453343" "6018619" "6003087" "5907678" "5878213" "5867661").pn.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/01/10 14:48
S14	6	"20020078142" "20030066065" "20030028695"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/01/10 14:19
S24	2	(cach\$3 same level) and ((server or host) same cach\$2 same on\$line) and (connect\$4 with state) and database and ((user or client) same (disconnect\$3 or off\$line)) and path	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/01/10 16:34
S29	51	((server or host) same cach\$2 same on\$line) and (connect\$4 with state) and database	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/01/10 16:57
S31	2	S29 and (user or client) and (selectively near3 cache)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/01/10 16:42
S32	291	client near3 side near3 cach\$3	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/01/10 16:49
S33	1	S32 and (server or host) and (user or client or computer or workstation or terminal) and (connect\$4 with state) and (path same (disconnect\$3 or off\$line))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/01/10 16:44

S34	291	(client near3 side near3 cach\$3)".ti", "abs,clms."	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/01/10 16:49
S35	24	(client near3 side near3 cach\$3).ti.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/01/10 16:49
S36	10	((user or client) same (selectively near3 cache)) and (disconnect\$3 or off\$line) and path	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/01/11 08:09
S39	3	S36 and ((server or host) same on\$line)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/01/11 08:10
S40	41	((user or client) with side with cache) and (disconnect\$3 or off\$line) and path	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/01/11 08:10
S41	12	S40 and ((server or host) same on\$line)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/01/11 08:11
S42	0	S41 and (selective\$2 near3 cach\$2)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/01/11 08:11
S43	13	(cach\$3 with level) and (server or host) and (off\$line with (user or client or computer or workstation or terminal)) and (connect\$5 with state)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/01/11 09:53
S44	12	(cach\$3 with level) and (server or host) and (off\$line with (user or client or computer or workstation or terminal)) and (connect\$5 with state) and handle	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/01/11 09:53
S45	12	(cach\$3 with level) and (server or host) and (off\$line with (user or client or computer or workstation or terminal)) and (connect\$5 with state) and handle and (client near5 side cach\$2)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/01/11 09:55

S46	11	(cach\$3 with level) and (server or host) and (off\$line with (user or client or computer or workstation or terminal)) and (connect\$5 with state) and handle and (client near5 side cach\$2) AND distribut\$4	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/01/11 10:03
S49	85	universal near5 name near5 code	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/01/11 10:03
S51	1	(cach\$3 with level) and (server or host) and (off\$line with (user or client or computer or workstation or terminal)) and (connect\$5 with state) and handle and (client near5 side cach\$2) AND distribut\$4 and (name near5 code)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/01/11 10:04
S52	18	(connect\$4 near3 state) and ((pre\$process\$3 or post\$process\$3) with handl\$2) and path	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/01/13 11:39
S53	1	(connect\$4 near3 state) and ((pre\$process\$3 same post\$process\$3) with handl\$2) and path	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/01/13 11:39
S54	1	(connect\$4 near3 state) and ((pre\$process\$3 and post\$process\$3) with handl\$2) and path	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/01/13 11:40
S55	2	(connect\$4 same state) and ((pre\$process\$3 and post\$process\$3) with handl\$2) and path	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/01/13 11:40
S57	136942	(connect\$4 near5 state)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/01/13 11:41
S58	8	S57 and ((pre\$process\$3 with handl\$2) and post\$process\$3) and path	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/01/13 11:42

S59	8	S57 and ((pre\$process\$3 with handl\$2) and post\$process\$3) and path	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/01/13 11:51
S60	27	((pre\$process\$3 with handl\$2) and (post\$process\$3 with handl\$2)) and path	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/01/13 12:03
S61	1	S60 and redirect\$2	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/01/13 11:52
S62	7	S60 and re\$direct\$2	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/01/13 11:52
S63	2	((pre\$process\$3 with handl\$2) and (post\$process\$3 with handl\$2)) and (logical near3 path)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/01/13 12:07
S64	1	((pre\$process\$3 with handl\$2) and (post\$process\$3 with handl\$2)) and (client adj side adj cach\$3) and path	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/01/13 12:08
S65	1	((pre\$process\$3 with handl\$2) and (post\$process\$3 with handl\$2)) and (client adj side adj cach\$3)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/01/13 12:08
S66	11	((pre\$process\$3 with handl\$2) and (post\$process\$3 with handl\$2)) and (distribut\$3 and cach\$3)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/01/13 12:18
S67	1	((pre\$process\$3 with handl\$2) and (post\$process\$3 with handl\$2)) and (distribut\$3 and cach\$3) and redirect\$3	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/01/13 12:13
S70	1761	(handl\$2) and (connect\$5 with state) and ((translat\$3 or map\$3) with (logical or physical))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/01/13 12:27

S71	360	(handl\$2) and (connect\$5 with state) and ((translat\$3 or map\$3) with (logical with physical))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/01/13 12:29
S72	283	(handl\$2) and (connect\$5 with state) and ((translat\$3 or map\$3) with (logical with physical)) and path	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/01/13 12:29
S73	9	(handl\$2) and (connect\$5 with state) and ((translat\$3 or map\$3) with (logical with physical) with path)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/01/13 12:38
S75	2	(namespace) and ((translat\$3 or map\$3) with (logical with physical) with path)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/01/13 14:25
S76	8	(cach\$3 with level) and (server or host) and ((user or client) with (disconnect\$3 or off\$line) with (use or usage))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/01/14 16:55
S77	9	"universal name code"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/01/14 16:58